

Fig .2. Distribution of induced radioactivity in carbon calculated at T=30d, t=1d. The levels show contact dose rate in μSv/h.



Fig .3. Distribution of induced radioactivity in carbon calculated at T=30d, t=5d. The levels show contact dose rate in μSv/h.



Fig .4. Distribution of induced radioactivity in carbon calculated at T=100d, t=1d. The levels show contact dose rate in μSv/h.



Fig .5. Distribution of induced radioactivity in carbon calculated at Carbon T=100d, t=5d. The levels show contact dose rate in μSv/h.



Fig .6. Distribution of induced radioactivity in carbon calculated at T=100d, t=30d. The levels show contact dose rate in μSv/h.



Fig .7. Distribution of induced radioactivity in carbon calculated at T=100d, t=100d. The levels show contact dose rate in μSv/h.



Fig .8. Distribution of induced radioactivity in carbon calculated at T=10y, t=1d. The levels show contact dose rate in μSv/h.



Fig .9. Distribution of induced radioactivity in carbon calculated at T=10y, t=5d. The levels show contact dose rate in μSv/h.



Fig. 10. Distribution of induced radioactivity in carbon calculated at T=10y, t=30d. The levels show contact dose rate in μSv/h.



Fig. 11. Distribution of induced radioactivity in carbon calculated at T=10y, t=100d. The levels show contact dose rate in μSv/h.



Fig. 12. Distribution of induced radioactivity in carbon calculated at T=10y, t=200d. The levels show contact dose rate in μSv/h.



Fig. 13. Distribution of induced radioactivity in carbon calculated at T=10y, t=2y. The levels show contact dose rate in μSv/h.