

Fig .38. Distribution of induced radioactivity in Cast Iron calculated at T=30d, t=1d. The levels show contact dose rate in μSv/h.



Fig .39. Distribution of induced radioactivity in Cast Iron calculated at T=30d, t=5d. The levels show contact dose rate in μSv/h.



Fig .40. Distribution of induced radioactivity in Cast Iron calculated at T=100d, t=1d. The levels show contact dose rate in μSv/h.



Fig .41. Distribution of induced radioactivity in Cast Iron calculated at T=100d, t=5d. The levels show contact dose rate in μSv/h.



Fig .42. Distribution of induced radioactivity in Cast Iron calculated at T=100d, t=30d. The levels show contact dose rate in μSv/h.



Fig .43. Distribution of induced radioactivity in Cast Iron calculated at T=100d, t=100d. The levels show contact dose rate in μSv/h.



Fig .44. Distribution of induced radioactivity in Cast Iron calculated at T=10y, t=1d. The levels show contact dose rate in μSv/h.



Fig .45. Distribution of induced radioactivity in Cast Iron calculated at T=10y, t=5d. The levels show contact dose rate in μSv/h.



Fig .46. Distribution of induced radioactivity in Cast Iron calculated at T=10y, t=30d. The levels show contact dose rate in μSv/h.



Fig .47. Distribution of induced radioactivity in Cast Iron calculated at T=10y, t=100d. The levels show contact dose rate in μSv/h.



Fig .48. Distribution of induced radioactivity in Cast Iron calculated at T=10y, t=200d. The levels show contact dose rate in μSv/h.



Fig .49. Distribution of induced radioactivity in Cast Iron calculated at T=10y, t=2y. The levels show contact dose rate in μSv/h.